Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	827	print\$3 same (key password pin secret) same (encrypt\$3 encipher\$3 encod\$3) same (keyboard keypad (key adj (board pad)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/10/31 00:11
S2	347	print\$3 same (key password pin secret) same (encrypt\$3 encipher\$3 encod\$3) same (keyboard keypad (key adj (board pad))) and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 15:28
<b>S3</b>	211	print\$3 same (key password pin secret) same (encrypt\$3 encipher\$3 encod\$3) same (keyboard keypad (key adj (board pad))) and network and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 15:46
S4	211	(print\$3 key password pin secret encrypt\$3 encipher\$3 encod\$3 keyboard keypad key board pad network input typ\$3 button security) and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 15:47
S5	179	(printer print printing) same (key password pin secret) same (encrypt\$3 encipher\$3 encod\$3) same (keyboard keypad (key adj (board pad))) and network and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 15:46
S6 .	179	(print\$3 key password pin secret encrypt\$3 encipher\$3 encod\$3 keyboard keypad key board pad network input typ\$3 button security) and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:16
S7	151	380/243.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:19
S8	17855	(document\$1 file\$1 image\$1) same (print\$3) same (key authenticat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:20
S9	7209	(document\$1 file\$1 image\$1) same (print\$3) same (key authenticat\$3) same printer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/10/21 16:20

	-					
S10	5463	(document\$1 file\$1 image\$1) with (print\$3) same (key authenticat\$3) same printer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:21
S11	316	(document\$1 file\$1 image\$1) with (print\$3) same (key authenticat\$3) same printer same \$2crypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:21
S12	95	(document\$1 file\$1 image\$1) with (print\$3) same (key authenticat\$3) same printer same \$2crypt\$3 same security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:21
S13	29	(document\$1 file\$1 image\$1) with (print\$3) same (key authenticat\$3) same printer same \$2crypt\$3 same security and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON ·	2005/10/31 00:06
S14	22	(document\$1 file\$1 image\$1) with (print\$3) same (key authenticat\$3) same printer same \$2crypt\$3 same security and @ay <="1999"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 00:09
S15	17	printer with (authenticat\$3 verificat\$3 authoriz\$6) same \$2crypt\$3 same security and @ay <="1999"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 00:10
S16	17	(print\$3 key password pin secret encrypt\$3 encipher\$3 encod\$3 keyboard keypad key board pad authenticat\$3 verificat\$3 authoriz\$6 secur\$6) and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 18:54
S19	. 80	("5633932").URPN.	USPAT	OR	ON	2005/10/31 01:48
S20	863	print\$3 same (key password pin secret) same (encrypt\$3 encipher\$3 encod\$3) same (keyboard keypad (key adj (board pad)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 16:08
S21	375	print\$3 same (key password pin secret) same (encrypt\$3 encipher\$3 encod\$3) same (keyboard keypad (key adj (board pad))) and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 16:08

				T		
S22	215	print\$3 same (key password pin secret) same (encrypt\$3 encipher\$3 encod\$3) same (keyboard keypad (key adj (board pad))) and network and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 16:08
S23	215	(print\$3 key password pin secret encrypt\$3 encipher\$3 encod\$3 keyboard keypad key board pad network input typ\$3 button security) and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 16:08
S24	183	(printer print printing) same (key password pin secret) same (encrypt\$3 encipher\$3 encod\$3) same (keyboard keypad (key adj (board pad))) and network and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 16:08
S25	183	(print\$3 key password pin secret encrypt\$3 encipher\$3 encod\$3 keyboard keypad key board pad network input typ\$3 button security) and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 16:08
S26	155	380/243.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 16:08
S27	19324	(document\$1 file\$1 image\$1) same (print\$3) same (key authenticat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 16:08
S28	7823	(document\$1 file\$1 image\$1) same (print\$3) same (key authenticat\$3) same printer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 16:08
S29	5970	(document\$1 file\$1 image\$1) with (print\$3) same (key authenticat\$3) same printer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 16:08
S30	381	(document\$1 file\$1 image\$1) with (print\$3) same (key authenticat\$3) same printer same \$2crypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 16:08

			· · · · · · · · · · · · · · · · · · ·		T	T
S31	112	(document\$1 file\$1 image\$1) with (print\$3) same (key authenticat\$3) same printer same \$2crypt\$3 same security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 16:08
S32	32	(document\$1 file\$1 image\$1) with (print\$3) same (key authenticat\$3) same printer same \$2crypt\$3 same security and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 16:08
S33	23	(document\$1 file\$1 image\$1) with (print\$3) same (key authenticat\$3) same printer same \$2crypt\$3 same security and @ay <="1999"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 16:08
S34	17	printer with (authenticat\$3 verificat\$3 authoriz\$6) same \$2crypt\$3 same security and @ay <="1999"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 16:08
S35	17	(print\$3 key password pin secret encrypt\$3 encipher\$3 encod\$3 keyboard keypad key board pad authenticat\$3 verificat\$3 authoriz\$6 secur\$6) and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 16:14
S36	91	("5633932").URPN.	USPAT	OR	ON	2006/04/30 16:08
S37	2046	(pcmcia "smart" chip key security) adj3 card and (secur\$3 near5 print\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 16:12
S38	50593	(print\$3 key password pin secret encrypt\$3 encipher\$3 encod\$3 keyboard keypad key board pad authenticat\$3 verificat\$3 authoriz\$6 secur\$6) and (pcmcia "smart" chip key security) adj3 card	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	·ON	2006/04/30 16:15
S39	771	(print\$3 key password pin secret encrypt\$3 encipher\$3 encod\$3 keyboard keypad key board pad authenticat\$3 verificat\$3 authoriz\$6 secur\$6) and (pcmcia "smart" chip key security) adj3 card and printer with (authenticat\$3 verificat\$3 authoriz\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 16:15

S40	204	(print\$3 key password pin secret encrypt\$3 encipher\$3 encod\$3 keyboard keypad key board pad authenticat\$3 verificat\$3 authoriz\$6 secur\$6) and (pcmcia "smart" chip key security) adj3 card and printer with (authenticat\$3 verificat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 16:16
S41	124	authoriz\$6) and @ay <="1999"  (print\$3 key password pin secret encrypt\$3 encipher\$3 encod\$3 keyboard keypad key board pad authenticat\$3 verificat\$3 authoriz\$6 secur\$6) and (pcmcia "smart" chip key security) adj3 card and printer with (authenticat\$3 verificat\$3 authoriz\$6) and \$2crypt\$3 and @ay <="1999"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 16:36
S42	40	(print\$3 key password pin secret encrypt\$3 encipher\$3 encod\$3 keyboard keypad key board pad authenticat\$3 verificat\$3 authoriz\$6 secur\$6) and (pcmcia "smart" chip key security) adj3 card and printer with (authenticat\$3 verificat\$3 authoriz\$6) same \$2crypt\$3 and @ay <="1999"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 16:16
S43	2	("4961224"   "5509074").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/30 16:29
S44	68	(pcmcia "smart" chip key security) adj3 card and printer with (authenticat\$3 verificat\$3 authoriz\$6) and (secur\$3 near5 print\$3)and \$2crypt\$3 and @ay <="1999"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 16:38
S45		(pcmcia "smart" chip key security) adj3 card and printer with (authenticat\$3 verificat\$3 authoriz\$6) and (secur\$3 near5 print\$3) and \$2crypt\$3 and @ay <="1999"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 16:54
S46	2	("5,500,681").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/30 16:54

	•		•			
S47	18	(pcmcia "smart" chip key security) adj3 card same (key) same \$2crypt\$3 and printer with (authenticat\$3 verificat\$3 authoriz\$6) and (secur\$3 near5 print\$3) and @ay <="1999"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 16:55
S48	3	("5596718"   "6163383"   "6181436").PN.	US-PGPUB; USPAT; USOCR	OR	ON .	2006/04/30 17:04
S49	26	("5815577").URPN.	USPAT	OR	ON	2006/04/30 18:15
S50	3662	(((smart PCMCIA token chip security key) adj3 card) dongle) and (encrypt\$3 with (document data message)) same (transfer\$3 transmit\$3 send\$3) same (security confidence classified secur\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 18:17
S51	957	(((smart PCMCIA token chip security key) adj3 card) dongle) and (encrypt\$3 with (document data message)) same (transfer\$3 transmit\$3 send\$3) same (security confidence classified secur\$3) and @ay <="1999"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON ,	2006/04/30 18:19
S52	149	(((smart PCMCIA token chip security key) adj3 card) dongle) same (encrypt\$3 with (document data message)) same (transfer\$3 transmit\$3 send\$3) same (security confidence classified secur\$3) and @ay <="1999"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 18:19
S53	. 85	(((smart PCMCIA token chip security key) adj3 card) dongle) same (encrypt\$3 with (document data message)) same (transfer\$3 transmit\$3 send\$3) same (security confidence classified secur\$3) and (authenticat\$3) and \$2crypt\$3 and key and @ay <="1999"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 18:24
S54	39	(((smart PCMCIA token chip security key) adj3 card) dongle) same (encrypt\$3 with (document data message)) same (transfer\$3 transmit\$3 send\$3) same (security confidence classified secur\$3) and (authenticat\$3) and \$2crypt\$3 and key and print\$3 and @ay <="1999"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/04/30 18:25
S55	29365	(remote network) near3 print\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 18:25

.S56	1794	(remote network) near3 print\$3 and (((smart PCMCIA token chip security key) adj3 card) dongle)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 18:25
S57	818	(remote network) near3 print\$3 and (((smart PCMCIA token chip security key) adj3 card) dongle) and \$2crypt\$3 and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 18:26
S58	749	(remote network) near3 print\$3 and (((smart PCMCIA token chip security key) adj3 card) dongle) and \$2crypt\$3 and key and (authenticat\$3 verificat\$3 authoriz\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 18:27
S59	170	(remote network) near3 print\$3 and (((smart PCMCIA token chip security key) adj3 card) dongle) and \$2crypt\$3 and key and (authenticat\$3 verificat\$3 authoriz\$6) and @ay <="1999"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 18:29
S60		(remote network) near3 print\$3 same (((smart PCMCIA token chip security key) adj3 card) dongle) and \$2crypt\$3 and key and (authenticat\$3 verificat\$3 authoriz\$6) and @ay <="1999"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 18:39
S61	32	(remote network) near3 print\$3 and (((smart PCMCIA token chip security key) adj3 card) dongle) same encrypt\$3 same key and (authenticat\$3 verificat\$3 authoriz\$6) and @ay <="1999"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 19:01
S62	82	"4,713,780"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 18:54
S63	2	("4,713,780").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/30 18:54
S64	2	(print\$3 key password pin secret encrypt\$3 encipher\$3 encod\$3 keyboard keypad key board pad authenticat\$3 verificat\$3 authoriz\$6 secur\$6) and S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 18:54

S65	2	(print\$3 key remote smart pcmcia token card password pin secret encrypt\$3 encipher\$3 encod\$3 keyboard keypad key board pad authenticat\$3 verificat\$3 authoriz\$6 secur\$6) and S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/04/30 18:55
S66	282	(((smart PCMCIA token chip security key) adj3 card) dongle) same encrypt\$3 same key same (document message file) and (authenticat\$3 verificat\$3 authoriz\$6) and (((smart PCMCIA token chip security key) adj3 card) dongle) same (retriev\$3 process\$3 edit\$3 download\$3) and @ay <="1999"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 19:03
S67	133	(((smart PCMCIA token chip security key) adj3 card) dongle) same encrypt\$3 same key same (document message file) and (authenticat\$3 verificat\$3 authoriz\$6) and (((smart PCMCIA token chip security key) adj3 card) dongle) same (retriev\$3 process\$3 edit\$3 download\$3) same decrypt\$3 and @ay <="1999"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 19:09
S68	65	(((smart PCMCIA token chip security key) adj3 card) dongle) same encrypt\$3 same key same (document message file) and (authenticat\$3 verificat\$3 authoriz\$6) and (((smart PCMCIA token chip security key) adj3 card) dongle) same (retriev\$3 process\$3 edit\$3 download\$3) same decrypt\$3 and print\$3 and @ay <="1999"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 19:11
S69	13	(((smart PCMCIA token chip security key) adj3 card) dongle) same encrypt\$3 same key same (document message file) and (authenticat\$3 verificat\$3 authoriz\$6) and (((smart PCMCIA token chip security key) adj3 card) dongle) same (retriev\$3 process\$3 edit\$3 download\$3) same decrypt\$3 and print\$3 not printed and @ay <="1999"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 19:11
S70	890	713/182.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 19:49

S71	650	713/155.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 19:49
S72	0	380/25.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 19:49
S73	4721	235/375.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 19:50
S74	638	705/64.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/30 19:50